




Computer power supply

Model: **AK-B1-550**



Product code	AK-B1-550
Product type	Computer power supply
Format	ATX 2.31
Series	Basic
Supply voltage	230 V
Power consumption	< 5 A
Efficiency	> 70 %
80 PLUS compatibility	No
80 PLUS certificate	None
Current on the +3.3V rail	33 A
Current on the +5V rail	36 A
Maximum load on +3.3V and +5V line	280 W
Current on the +12V rail	24 A
Maximum load on 12V line	288 W
Maximum power	550 W
Mainboard Power Connector	24-pin
Power connector ATX12V P4	1 pc
Power connector EPS12V 8 pin	None
Power connector PCI-E 6 pin	None
Power connector PCI-E 6+2 pin	1 pc
Power connector PCI-E 8 pin	None
Molex connector	2 pcs
Mini-Molex connector	1 pc
SATA connector	3 pcs
Modular power supply	No
PFC filter	Passive
Mechanical switch	Yes
Ground wire	Yes
OVP	Yes
OCP	Yes
OPP	Yes
OTP	Yes
SCP	Yes
UVP	None
Power supply connector	IEC C14
Fan size	120 mm
Fan adjustments	Automatic
Cable length	30 - 60 cm
Power cable included	No
Material	Galvanized steel

Product color	Grey
MTBF	100000 h
Temperature	5 - 50 °C
Package	EcoBox
Product size (L x W x H)	140 x 150 x 85 mm
Package size (L x W x H)	220 x 160 x 95 mm
Net weight	1.04 kg
Gross weight	1.12 kg
CE compatibility	Yes
FCC compatibility	No
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720130341
Warranty	24 months



Supply Solutions

ATX12V v2.31

230V / 50Hz / 5A				
+3,3V	+5V	+12V	-12V	+5VSB
33A	36A	24A	0,5A	2,5A
280W		288W	18,5W	
550W				

trained service personnel only. No user serviceable parts inside.

EN 61000-3-12

Made in China


Description

Akyga® AK-B1-550 ATX power supply **550W** is one of the basic power supplies in our offer dedicated to power desktop computers.


Made of high quality components, the power supply has **3x SATA** connectors, **2x MOLEX** connectors, **mini-MOLEX** connector, **P4 4-pin** connector, **PCI-E 6+2-pin** connector and an universal **24-pin** motherboard connector. Supports **ATX 12V 2.0** specifications, so it can be used with current and next generation of platforms with multi-core processors. Silent 12 cm fan with chromed grill provide efficient cooling. **Manual on/off switch** allows for safe power cut off without the need of disconnecting the network cord. High efficiency and stable operation of the power supply affects the reliability of all computer components.

Several important protectors (OVP, OCP, OPP, OTP, SCP) and **PFC filter** protect and prevent main computer parts from damage and stabilize the operation of the power supply so that it works without any unwanted interference.

Cable map



Nameplate



Professional Power Supply Solutions

Model:
AK-B1-550


ATX12V v2.31

550W


BASIC
Series


AC INPUT	230V / 50Hz / 5A				
DC OUTPUT	+3,3V	+5V	+12V	-12V	+5VSB
MAX CURRENT	33A	36A	24A	0,5A	2,5A
MAX COMBINED	280W		288W	18,5W	
TOTAL POWER	550W				


CAUTION!
Do not remove this cover. Trained service personnel only. No user serviceable parts inside.



RoHS







EN 61000-3-12

Made in China